

Help us improve CiteSeer. [Take a survey](#)

Alternate document: [Details](#) **Hidden Capabilities: Towards a Flexible Protection Utility for the Internet**  
(96) D. Hagimont, J. Mossière. X. Rousset de Pina

**Hidden Software Capabilities (1996) (Make Corrections) (23 citations)**

D. Hagimont, J. Mossière. X. Rousset de Pina, F. Saunier  
International Conference on Distributed Computing Systems

**CiteSeer**  
Electronic Literature Digital Library

[Home/Search](#) [Context](#) [Related](#)

Links: [ACM](#) [DBLP](#)

View or download:

[inrialpes.fr/pub/s...dcsprotPUB.ps.gz](http://inrialpes.fr/pub/s...dcsprotPUB.ps.gz)

[sirac.inrialpes.fr/~hagim...capacite.ps](http://sirac.inrialpes.fr/~hagim...capacite.ps)

[inrialpes.fr/pub/l...dcsprotPUB.ps.gz](http://inrialpes.fr/pub/l...dcsprotPUB.ps.gz)

Cached: [PS.gz](#) [PS](#) [PDF](#) [Image](#) [Update](#) [Help](#)

From: [ballesta.inrialpes.fr/Bib...publi](http://ballesta.inrialpes.fr/Bib...publi) (more)  
(Enter author homepages)

([Enter summary](#))

Rate this article: 1 2 3 4 5 (best)  
[Comment on this article](#)

**Abstract:** : Software capabilities are a very convenient means to protect cooperating applications. They allow access rights to be dynamically exchanged between mutually suspicious interacting applications. However, in all the proposed approaches, capabilities are made available at the programming language level, requiring application developers to wire protection definition in the application code, which is detrimental to both flexibility and reusability. We believe instead that capabilities should be...  
([Update](#))

Context of citations to this paper: [More](#)

...at the runtime. **Our JCCap capability based model rely on the Hidden Software Capabilities defined and developed by one of the author [Hagimont96].** The hidden software capabilities technique overcome the difficulties of capability based systems as presented in the section 3....

.... **scheme is to use objects as capabilities [22] by interposing a restricted proxy object between the user and the target ( 23) see also [24, 25, 26])** 2.4. Certified Code Recently, a number of researchers have investigated the concept of certified code. ProofCarrying Code (PCC)...

Cited by: [More](#)

A Unified Security Framework for Networked Applications - Abendroth, Jensen (2003) ([Correct](#))

Partial Outsourcing: A New Paradigm for Access Control - Abendroth, Jensen (2003) ([Correct](#))

The Snowflake Distributed System - Howell (1998) ([Correct](#))

Similar documents (at the sentence level):

5.7%: Hidden Capabilities: Towards a Flexible Protection Utility.. - Hagimont Mossi (1996) ([Correct](#))

Active bibliography (related documents): [More](#) [All](#)

0.6: Hidden Software Capabilities - Hagimont, Mossière, de Pina.. (1996) ([Correct](#))

0.4: A Protection Scheme for a CORBA Environment - Hagimont, Huet, Mossière (1997) ([Correct](#))

0.2: Non-Functional Capability-Based Access Control in the Java.. - Hagimont, De Palma ([Correct](#))

Similar documents based on text: [More](#) [All](#)

0.2: Object Migration in the Guide System - Chevalier Hagimont (1995) ([Correct](#))

0.2: JCCap: capability-based access control for Java Card - Hagimont, Vandewalle (2000) ([Correct](#))

Related documents from co-citation: [More](#) [All](#)

15: Capability-Based Computer Systems (context) - Levy - 1984

8: Using Sparse Capabilities in a Distributed Operating System - Tanenbaum, Mullender et al. - 1986

8: Orbix distributed object technology - programmer's guide (context) - Technologies - 1994

BibTeX entry: ([Update](#))


D. Hagimont, J. Mossière, X. Rousset, F. Saunier. Hidden Software Capabilities, Proc. of the 16th International

Conference on Distributed Computing Systems, May 1996. <http://citeseer.ist.psu.edu/hagimont96hidden.html> [More](#)

```
@inproceedings{ hagimont96hidden,
  author = "Daniel Hagimont and Jacques Mossiere and Xavier Rousset de Pina and F
  title = "Hidden Software Capabilities",
  booktitle = "International Conference on Distributed Computing Systems",
  pages = "282-289",
  year = "1996",
  url = "citeseer.ist.psu.edu/hagimont96hidden.html" }
```

**Citations (may not include all citations):**

- 116 Structure and Encapsulation in Distributed Systems: The Prox.. - Shapiro - 1986 [DBLP](#)
- 112 Capability-Based Computer Systems (context) - Levy - 1984 [ACM](#)
- 112 Sharing and Protection in a SingleAddress-Space Operating S.. - Chase, Levy et al. - 1994
- 100 The Multics System: an Examination of its Structure (context) - Organick - 1972
- 77 Hydra: The Kernel of a Multiprocessor Operating System (context) - Wulf, Cohen et al. - 1974 [DBLP](#)
- 69 Using Sparse Capabilities in a Distributed Operating System - Tanenbaum, Mullender et al. - 1986 [DBLP](#)
- 59 ACM Transactions on Programming Languages and Systems (context) - Birrell, Nelson et al. - 1984
- 39 OMG Document Number (context) - Common, Broker et al. - 1991
- 32 The Cambridge CAP Computer and its Operating System (context) - Wilkes, Needham - 1979
- 19 Protection in the BirliX Operating System (context) - Kowalski, Hartig - 1990
- 14 Protection in the Guide Object-Oriented Distributed System - Hagimont - 1994 [ACM](#) [DBLP](#)
- 7 Sun Microsystem (context) - RPC, Compiler - 1988
- 5 Mechanism and Structure in System (context) - England, Concept - 1975
- 4 Fine-Grained Access Control in a Transactional Object-Orient.. (context) - Cabrera, Luniewski et al. - 1992 [DBLP](#)



The graph only includes citing articles where the year of publication is known.

**Documents on the same site (<http://ballesta.inrialpes.fr/Biblio/publi.html>):** [More](#)

- A Protection Scheme for a CORBA Environment - Hagimont, Huet, Mossière (1997) [\(Correct\)](#)
- System Services for Distributed Application Configuration - Bellissard, Boyer.. (1998) [\(Correct\)](#)
- Mutual Suspicion in a Generic Object-Support System - Jensen, Hagimont (1998) [\(Correct\)](#)

[Online articles have much greater impact](#) [More about CiteSeer.IST](#) [Add search form to your site](#) [Submit documents](#)  
[Feedback](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Help us improve CiteSeer. [Take a survey](#)



Find:  [Documents](#) [Citations](#)

Searching for **PHRASE anti piracy kernel mode user protected mode.**

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

**No documents match Boolean query. Trying non-Boolean relevance query.**

500 documents found. **Order: relevance to query.**

[Using Constraints To Achieve Stability In Automatic Graph.. - Böhringer, Paulisch \(1990\) \(Correct\)](#)  
they provide a "nice" drawing of the graph without **user** intervention. There are, however, a couple of  
[www.ee.washington.edu/faculty/karl/Publications/PS/SIGCHI90.ps.gz](http://www.ee.washington.edu/faculty/karl/Publications/PS/SIGCHI90.ps.gz)

[Consistency Driven Planning - Decker, Moerkotte, Posegga \(1996\) \(Correct\) \(3 citations\)](#)  
the well-known problems of linear planning. The **kernel** of the planner consists of a deductive database  
The basic problem of a logic-based planner is to **model** state changes that result from the execution of  
we would not allow a block to become a table, **protected** predicates are introduced. The set of **protected**  
[pi3.informatik.uni-mannheim.de/publications/daisd92.ps](http://pi3.informatik.uni-mannheim.de/publications/daisd92.ps)

[User Customization of Virtual Network Interfaces with U-Net/SLE - Oppenheimer, Welsh \(1998\) \(Correct\) \(3 citations\)](#)

Often, these systems bypass the operating system **kernel** to achieve high performance however the features  
and reception. By leveraging the existing U-Net **model**, applications may implement protocol code at the  
**User** Customization of Virtual Network Interfaces with  
[www.cs.berkeley.edu/~mdw/projects/unet/./unet-sle/unet-sle-tr.ps.gz](http://www.cs.berkeley.edu/~mdw/projects/unet/./unet-sle/unet-sle-tr.ps.gz)

[Hidden Software Capabilities - Hagimont, de Pina, Saunier \(1996\) \(Correct\) \(11 citations\)](#)  
a separate **protected** layer (the operating system **kernel** or one of its extensions) and by providing  
In this paper, we propose a new **protection model** based on hidden software capabilities, in which  
aspect of distributed computing, in particular when **users** cooperate using shared objects or shared memory.  
[ftp.inrialpes.fr/pub/sirac/publications/96-icdcs-prot-PUB.ps.gz](http://ftp.inrialpes.fr/pub/sirac/publications/96-icdcs-prot-PUB.ps.gz)

[Adaptive Navigational Facilities in Educational Hypermedia - Pilar \(Correct\)](#)  
possible to use information represented in a **user model** and then adapt the content and/or the links to be  
educational hypermedia INTRODUCTION Hypermedia **users** with different goals and knowledge may be  
that **user**. Adaptive hypermedia systems build such a **model** with the goal of personalizing hypermedia.  
[www.cs.kuleuven.ac.be/~denise/p/papers/pilar-short.ps](http://www.cs.kuleuven.ac.be/~denise/p/papers/pilar-short.ps)

[Adding User Interface to a Behavioral Specification - Systä \(1995\) \(Correct\) \(1 citation\)](#)  
in parallel with events from the environment. The **model** of reactive system is also suitable for **modeling**  
Adding **User** Interface to a Behavioral Specification Kari  
[ftp.lri.fr/LRI/articles/mb/ehci95/Systa.ps.Z](http://ftp.lri.fr/LRI/articles/mb/ehci95/Systa.ps.Z)

[What is Wrong with GUIs for Theorem Provers? - Merriam, Harrison \(1997\) \(Correct\) \(12 citations\)](#)  
Appeared in proceedings of UITP'97, INRIA Sophia Antipolis, France Nicholas A. Merriam Michael D.  
rather than the interface. Growing numbers of **modern** TPAs now have genuinely direct manipulation  
Abstract Direct manipulation graphical **user** interfaces (GUIs) are widely available in  
[www.cs.york.ac.uk/~nam/uitp97.ps.gz](http://www.cs.york.ac.uk/~nam/uitp97.ps.gz)

[Intelligent Filtering; Based on Keywords Only? - Lantz, Kilander \(1995\) \(Correct\) \(2 citations\)](#)  
to regard as interesting, some kind of feedback **model** is required. The feedback **model** enables the **user**  
fk@dsv.su.se ABSTRACT Empirical studies on **users** of Usenet News indicate that features other than  
kind of feedback **model** is required. The feedback **model** enables the **user** to provide the system with  
[www.dsv.su.se/~fk/if\\_Doc/chi95.ps.Z](http://www.dsv.su.se/~fk/if_Doc/chi95.ps.Z)

[Ruling the complexities of OS design and maintenance using.. - Wohlrab \(1996\) \(Correct\)](#)  
the construction of frameworks 2 for building **kernel** families is currently un- 1 But we do not view

seems to be a temptation to construct an overall **model** covering all, or at least most of the various type. This way the workstation of the common **user**, the file server machine, the system  
[www.tu-chemnitz.de/informatik/HomePages/Betriebssysteme/publications/local/papers/1996/Wohlrab1996.ps.gz](http://www.tu-chemnitz.de/informatik/HomePages/Betriebssysteme/publications/local/papers/1996/Wohlrab1996.ps.gz)

Fast Secure Processor for Inhibiting Software Piracy and.. - Jun Yang Youtao (2003) (Correct) (6 citations)  
 Fast Secure Processor for Inhibiting Software **Piracy** and Tampering Jun Yang Youtao Zhang\* Lan Gao  
 events. The representative technique of the above **model** is called execution only memory, or XOM, meaning internally before execution. This prevents any **user** having the full control of the computer from  
[www.microarch.org/micro36/html/.pdf/yang-FastSecureProcessor.pdf](http://www.microarch.org/micro36/html/.pdf/yang-FastSecureProcessor.pdf)

How to Prove Where You Are: Tracking the Location of Customer.. - Gabber, Wool (1998) (Correct) (6 citations)  
 is performed by a secure, tamper-resistant module. **Piracy** is a major problem for DBS service providers. period are downloaded into the customer's STT. **Modern** DBS systems typically use a "callback "or broadcast and decrypts the programs that the **user** is entitled to (see Figure 1)The decryption  
[www.bell-labs.com/user/eran/where-ccs5.ps.gz](http://www.bell-labs.com/user/eran/where-ccs5.ps.gz)

Efficient Traitor Tracing Algorithms Using List Decoding - Silverberg, Staddon, Walker (2001) (Correct) (2 citations)  
 feature that it accumulates important additional **piracy** information, namely, a list of all coalitions two important tracing algorithms. In a popular **model** for traceability schemes a unique set (possibly ordered) of  $r$  symbols is associated with each **user**. For example, the set may be associated with a  
[www.math.unl.edu/~jwalker/papers/taipp.pdf](http://www.math.unl.edu/~jwalker/papers/taipp.pdf)

Using the Internet to Reduce Piracy Proc. INET '95 Ralf C. Hauser - Ha Us Er (Correct)  
 1 Introduction Instructions in a Microsoft **antipiracy** brochure [1] illustrate that, with the Using the Internet to Reduce **Piracy** Proc. INET '95 Ralf C. Hauser Abstract Copyright Distribution Under the assumptions of the **model**, a software producer cannot prevent the consumer  
[seclab.anseo.dankook.ac.kr/papers/HAUSER95.ps](http://seclab.anseo.dankook.ac.kr/papers/HAUSER95.ps)

On the Global Dimension of Computer Legislation: A Third.. - Adnan Yahya Electrical (Correct)  
 computerstored information. Examples are software **piracy**, unauthorized access to systems and information, due to the presence of computer components in many **modern** systems. Products differ, among other factors, of their use, methods of interaction with **users**, accessibility from remote locations and their  
[www.birzeit.edu/eng/yahya/kntright.ps](http://www.birzeit.edu/eng/yahya/kntright.ps)

Piracy: the Dark Side of Electronic Commerce CIS-700/2 - Arnaud Sahuguet (Correct)  
 Juli'an Besc'os, and Martin Treu. Digital Access to **Antiquities**. CACM, April 1998. 9] J. Gosling, B. Joy, **Piracy**: the Dark Side of Electronic Commerce CIS-700/2  
 very useful for filtering (by applying a smoothing **kernel**) or cropping. Some mathematical transformations  
[www.cis.upenn.edu/~sahuguet/PLAN/piracy.ps.gz](http://www.cis.upenn.edu/~sahuguet/PLAN/piracy.ps.gz)

WARP: A Digital Watermark Based Copy Protection Architecture - Martinian, Wornell (Correct)  
 obvious use of such a scheme would be to prevent **piracy** of Digital Video Disk (DVD) content. Another use has the secure player dial a central computer via **modem** and upload the billing records. The secure player  
 Warp:a Digital Watermark Based Copy **Protection** Architecture Emin Martinian, Greg Wornell  
[www.csua.berkeley.edu/~emin/writings/warp.ps](http://www.csua.berkeley.edu/~emin/writings/warp.ps)

Scalable Public-Key Tracing and Revoking - Dodis, Fazio, Kiayias, Yung (2004) (Correct) (3 citations)  
 Schemes constitute a very useful tool against **piracy** in the context of digital content broadcast. In To address these issues, we introduce the **model** of Scalable Public-Key Traitor Tracing, and the authorities can trace the identities of the **users** that contributed in its construction (called  
[eprint.iacr.org/2004/160.ps.gz](http://eprint.iacr.org/2004/160.ps.gz)

Digital Fingerprinting for Distribution Volume Tracking.. - Uzuner, Davis (Correct)  
 versions of their works. DRMs and the supporting **anti-circumvention** legislation have so far been mostly publishing industries alone, the loss to copyright **piracy** was estimated at \$500 million in 2002. owners while increasing the value the content **users** can extract from creative works. Keywords:  
[www.ai.mit.edu/~ozlem/Uzuner-CCCT.pdf](http://www.ai.mit.edu/~ozlem/Uzuner-CCCT.pdf)

[An Efficient Software Protection Scheme - Maña, Pimentel \(2001\) \(Correct\) \(2 citations\)](#)

information commerce. Abstract: Software **piracy** has been considered one of the biggest problems the software is not installed or it works in demo **mode** with restricted functionality. This mechanism is The objective is to guarantee that only authorized **users** can run the software. Our work is mainly aimed to [polaris.lcc.uma.es/~amg/papers/IFIPSEC01-SoftProt.pdf](http://polaris.lcc.uma.es/~amg/papers/IFIPSEC01-SoftProt.pdf)

[Topics In Isotopic Pairs And Their Representations - Juriev \(1994\) \(Correct\)](#)

Second, one may compare it with the definition of "**anti**-Jordan pairs" 4] cf.also the related definition [mpej.unige.ch/mp\\_arc/c/94/94-267.ps.gz](http://mpej.unige.ch/mp_arc/c/94/94-267.ps.gz)

*First 20 documents* [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)